

# OFFICE OF THE SUPERINTENDENT, CHC, ADAPADA, GANJAM

Email:-adapadabpmu03@gmail.com

Letter No. 215

Date: 1/6/24

To,

The Regional Officer,  
State Pollution Control Board, Odisha,  
2<sup>nd</sup> Floor, New Division Officer, IDCO, Berhampur Division,  
Industrial Estate, Berhampur, Ganjam-760008

Sub: submission of Annual Report of Bio-Medical Waste Management for the year 2023 of CHC, Adapada, Ganjam.

Sir,

With reference to the subject cited above, I am herewith submitting the annual report of Bio-Medical Waste Management for the year 2023 of CHC, Adapada, Ganjam.

This is favour of kind information and necessary action.

*1/6/24*  
For  
1/6/24  
Superintendent  
CHC Adapada  
Ganjam

Memo No. 216

Date: 1/6/24

- 1) Copy submitted to the Dir. State Bio-medical Waste Management Cell, Head of Dept. Building , Ground floor, Keshari Nagar, Unit-5, Bhubaneswar PIN-751001 favour of your kind information and necessary action.
- 2) Copy submitted to CDM & PHO, Ganjam for information and necessary action.

*1/6/24*  
For  
1/6/24  
Superintendent  
CHC Adapada  
Ganjam

**Form - IV**  
**(See rule 13)**  
**ANNUAL REPORT**

[To be submitted to the prescribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorised person (occupier or operator of facility)	:	Dr. Bahan Das
	(ii) Name of HCF or CBMWTF	:	CHC, ADAPADA
	(iii) Address for Correspondence	:	CHC, ADAPADA, GANJAM-761144
	(iv) Address of Facility	:	CHC, ADAPADA, GANJAM-761144
	(v) Tel. No, Fax. No	:	9439985026
	(vi) E-mail ID	:	adapadabpmu03@gmail.com
	(vii) URL of Website	:	<a href="https://chcadapada.co.in">https://chcadapada.co.in</a>
	(viii) GPS coordinates of HCF or CBMWTF	:	
	(ix) Ownership of HCF or CBMWTF	:	(Government of Odisha
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: ..... valid up to 31/03/2024
	(xi). Status of Consents under Water Act and Air Act	:	Valid up to:
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: 16.....
	(ii) Non-bedded hospital  (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	
3.	Details of CBMWTF	:	
	(i) Number healthcare facilities covered by CBMWTF	:	01
	(ii) No of beds covered by CBMWTF	:	16
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	10 Kg per day

	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	_____ Kg/day																																												
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category 250kg p.m (approx.) Red Category : 10 kg p.m(approx.) White: 15 kg p.m( approx) Blue Category : 65 kg (approx.) General Solid waste: 150 kg p.m( approx)																																												
5	Details of the Storage, treatment, transportation, processing and Disposal Facility																																														
	(i) Details of the on-site storage facility	:	Size : NA Capacity : NA Provision of on-site storage : (cold storage or any other provision)																																												
	(ii) Details of the treatment or disposal facilities	:	<table> <thead> <tr> <th>Type of treatment equipment</th> <th>No of unit</th> <th>Cap s</th> <th>Quantity disposed per annum</th> </tr> </thead> <tbody> <tr> <td>Incinerators</td> <td>y</td> <td>r</td> <td></td> </tr> <tr> <td>Plasma Pyrolysis</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Autoclaves</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Microwave</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Hydroclave</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Shredder</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Needle tip cutter or destroyer</td> <td></td> <td></td> <td>-</td> </tr> <tr> <td>Sharps encapsulation or concrete pit</td> <td></td> <td></td> <td>-</td> </tr> <tr> <td>Deep burial pits: Chemical disinfection:</td> <td></td> <td></td> <td>-</td> </tr> <tr> <td>Any other treatment equipment:</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Type of treatment equipment	No of unit	Cap s	Quantity disposed per annum	Incinerators	y	r		Plasma Pyrolysis				Autoclaves				Microwave				Hydroclave				Shredder				Needle tip cutter or destroyer			-	Sharps encapsulation or concrete pit			-	Deep burial pits: Chemical disinfection:			-	Any other treatment equipment:			
Type of treatment equipment	No of unit	Cap s	Quantity disposed per annum																																												
Incinerators	y	r																																													
Plasma Pyrolysis																																															
Autoclaves																																															
Microwave																																															
Hydroclave																																															
Shredder																																															
Needle tip cutter or destroyer			-																																												
Sharps encapsulation or concrete pit			-																																												
Deep burial pits: Chemical disinfection:			-																																												
Any other treatment equipment:																																															
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.)																																												
	(iv) No of vehicles used for collection and transportation of biomedical waste	:	one																																												
	(v) Details of incineration ash and ETP sludge generated and disposed		Quantity generated 0 Where disposed																																												

	Incineration Ash ETP Sludge
	during the treatment of wastes in Kg per annum
(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:
(vii) List of member HCF not handed over bio-medical waste.	
6 Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	
7 Details trainings conducted on BMW	01
(i) Number of trainings conducted on BMW Management.	
(ii) number of personnel trained	15
(iii) number of personnel trained at the time of induction	
(iv) number of personnel not undergone any training so far	0
(v) whether standard manual for training is available?	yes
(vi) any other information)	
8 Details of the accident occurred during the year	
(i) Number of Accidents occurred	
(ii) Number of the persons affected	
(iii) Remedial Action taken (Please attach details if any)	
(iv) Any Fatality occurred, details.	
9. Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	
Details of Continuous online emission monitoring systems installed	
10 Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	
11 Is the disinfection method or sterilization meeting the log 4	

	standards? How many times you have not met the standards in a year?	
12	Any other relevant information	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from

01 January 2023 to 31st December 2023

.....  
.....  
.....

Name and Signature of the Head of the Institution

*Praveen Kumar  
Superintendent  
CHC Adapada  
Ganjam*

Date: 01/01/2024

Place: CHC, Adapada